Surname	Centre Number	Candidate Number
Other Names		0



GCSE

3300U40-1



MATHEMATICS UNIT 2: CALCULATOR-ALLOWED INTERMEDIATE TIER

THURSDAY, 6 JUNE 2019 - MORNING

1 hour 45 minutes

ADDITIONAL MATERIALS

A calculator will be required for this examination.

A ruler, protractor and a pair of compasses may be required.

INSTRUCTIONS TO CANDIDATES

Use black ink or black ball-point pen. Do not use gel pen or correction fluid.

You may use a pencil for graphs and diagrams only.

Write your name, centre number and candidate number in the spaces at the top of this page.

Answer all the questions in the spaces provided.

If you run out of space, use the additional page at the back of the booklet. Question numbers must be given for all work written on the additional page.

Take π as 3·14 or use the π button on your calculator.

INFORMATION FOR CANDIDATES

You should give details of your method of solution when appropriate.

Unless stated, diagrams are not drawn to scale.

Scale drawing solutions will not be acceptable where you are asked to calculate.

The number of marks is given in brackets at the end of each question or part-question.


In question **5**, the assessment will take into account the quality of your linguistic and mathematical organisation, communication and accuracy in writing.




For Examiner's use only				
Question	Maximum Mark	Mark Awarded		
1.	6			
2.	5			
3.	4			
4.	5			
5.	7			
6.	4			
7.	5			
8.	4			
9.	8			
10.	4			
11.	2			
12.	3			
13.	4			
14.	3			
15.	5			
16.	4			
17.	3			
18.	4			
Total	80			

Formula List – Intermediate Tier

Area of trapezium = $\frac{1}{2}(a+b)h$



Volume of prism = area of cross-section × length



1.	(a)		culate each of the following. $4.8^2 + \sqrt{28.09}$	[2]
		(ii)	4/9 of 78⋅3	[1]
		(iii)	1000 × (the reciprocal of 8)	[2]
	(b)	Write	te 437·6 correct to 2 significant figures.	[1]



(a)	Find the value of $5f + 7g$ when $f = 3.8$ and $g = -2.6$.	[2]
(b)	Solve the following equation. Give your answer correct to 1 decimal place.	[3]
	7x - 4 = 12	



	minutes 4·5	hours	4 hours 45 minutes	4 ¹ / ₄ hours	$\frac{1}{6}$ th of a day
(b)	Circle the longest	: distance fro	m the list given bel	ow.	
	30 000 mm	250 m	2 km 70 m	4000 cm	2·4 km
(c)	Circle either TRU	E or FALSE	for each statement	given below.	
		STATEMEN	Γ		
	7 kilometres is le	ss than 5 mil	es	TRUE	FALSE
	7 kilometres is le 1 kilogram is less			TRUE	FALSE
		than 2 pour			
	1 kilogram is less	than 2 pour		TRUE	FALSE

3.

4. Catrin makes the following statement.	Exan or
If you double the length of each side of a rectangle, you will double its perimeter and also double its area.	1
Is Catrin correct? Show clearly, using an example, how you came to your decision.	[5]



_	
ò	
4	
\supset	
0	
Ō	
က	7
က	0

5.	In thi	is question, you will be assessed on the quality of your organisation, comm racy in writing.	unication and
	Calcu	of £256 is shared in the ratio 2 : 1. ulate the value of the larger share. your answer to the nearest 10p.	
	You r	must show all your working.	[5 + 2 OCW]
	•••••		
	•••••		
	•••••		
	•••••		
c	(2)	Factorise $7ab + 11a$.	[4]
b.	(a)	Factorise $uv + 11u$.	[1]
	•••••		
	(b)	Factorise $x^2 - 8x$.	[1]
	•••••		
	•••••		
	(c)	Expand $4y(2-3y)$.	[2]



Examiner only

7. (a) The diagram shows two congruent triangles. The coordinates of each vertex are shown.





Diagram not drawn to scale

Find the value of u and the value of v .	[2]
a -	h -
<i>a</i> =	<i>D</i> =




Examiner only

(b) Draw an enlargement of the rectangle below, using a scale factor of 3 and centre (1, 2). [3]







4

3

© WJEC CBAC Ltd. (3300U40-1)

Turn over.



Examiner only

(a)	Write down the n th term of the following sequence.	[2]
	8, 11, 14, 17,	
(b)	Make t the subject of the formula $r = 3t - 8$.	[2]
(c)	A rectangle has a length of $(x + 5)$ cm and a width of $(2x - 3)$ cm. Its perimeter is 46 cm. Calculate the value of x .	[4]
	Its perimeter is 46 cm.	
	Its perimeter is 46 cm. Calculate the value of <i>x</i> .	
	Its perimeter is 46 cm. Calculate the value of <i>x</i> .	




10. Is it possible to draw a **right-angled** triangle with the measurements shown below? You must use calculations (not a scale drawing) to support your answer. You must show all your working. [4] 25.6 cm 12.8 cm 22.7 cm Diagram not drawn to scale



Examiner only


11. *(a)*



Which of the following sets represents the shaded area in the Venn Diagram shown above? [1] Circle your answer.

Α' $A \cup B$ B' A∩B $A' \cap B$ $A \cup B'$

(b)



Which of the following sets represents the shaded area in the Venn Diagram shown above? Circle your answer.

[1]

Α'

 $A \cup B$ B' $A \cap B$ $A' \cap B$ $A \cup B'$

	∃Exam
Look at the following set of four numbers.	on
5 8 10 13	
Find another set of four numbers so that:	
 the range has increased by 2, the mean remains the same, the median has decreased by 1. 	
You may use some of the numbers from the original set, but not exactly the same four numbers. [3]	
My four numbers are	



© WJEC CBAC Ltd.

(3300U40-1)

only

15 Examiner **13.** A company has 3 sites based in Wales. One is in Carno, one is in Holyhead and one is in Porth. The pie charts below show the distribution of its 128 female staff and 72 male staff. Porth Carno Porth 120° Carno Holyhead Holyhead 128 female staff 72 male staff A person is chosen at random from the company's 200 staff members. What is the probability that this person works at the Porth site? [4]



14. PQR is a right-angled triangle. PR = 16.7 cm, QR = 9.6 cm.




Diagram not drawn to scale

Calculate the size of QPR.	[3]



© WJEC CBAC Ltd.

(3300U40-1)

Examiner only

adult entry price $(\mathfrak{L}x) = \mathfrak{L}$	The child entry price $(\mathfrak{L}y) = \mathfrak{L}$
price for children.	braic method, to find the entry price for adults and the entr [5]
Form two equations in terms of x and x	•
The total cost for the Morgan family The total cost for the Smith family is	is £41.50. £29.75.
The entry price to the Craft Centre i	
There are 4 adults and 3 children in Both families visit a Craft Centre.	the Smith family.
The Morgan family and the Smith fa There are 7 adults and 2 children in	the Morgan family.



16.	A solution of the equation					
	$2x^3 + x - 10 = 0$					
	lies between 1 and 2.					
	Use the method of trial and improvement to find this solution correct to 1 decimal place. You must show all your working.	4]				
		.				



When a pumber is reduced by 150/, the appropria C454	Exa
When a number is reduced by 15%, the answer is 6154. What is the original number?	[3]
ABCD is a cyclic quadrilateral in a circle with centre O.	
$\widehat{ABC} = 126^{\circ}$.	
D	
$\frac{1}{x}$	
$A \bigvee y \bigvee C$	
126°	
B	
Diagram not drawn to scale	
Write down the size of each of the angles x and y .	
You must give a reason for each of your answers.	[4]
<i>χ</i> =°	
Reason:	
.	
<i>y</i> =°	
Reason:	



END OF PAPER

Question number	Additional page, if required. Write the question number(s) in the left-hand margin.	Examine only

